

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A counterfeiting prevention label comprising:

a base sheet; and

a volume hologram layer covering a part of a front surface of the base sheet,

formed by a transfer ~~process~~; process, wherein:

~~wherein~~ the volume hologram layer has the shape of a ribbon and extends between a first end of the base sheet and a second end of the base sheet opposite the first ~~end~~, end;

~~the an~~ end surface of one end of the volume hologram layer is flush with ~~the an~~ end surface of the first end of the base ~~sheet, and sheet;~~ sheet;

~~the an~~ end surface of ~~the an~~ other end of the volume hologram layer is flush with ~~the an~~ end surface of the second end of the base ~~sheet, sheet;~~ sheet;

~~wherein~~ a self-adhesive layer is formed on a back surface of the base sheet, and ~~the adhesive~~ self-adhesive layer is covered with a release sheet, and the release sheet is larger than the base ~~sheet, and sheet;~~ sheet;

~~wherein~~ the volume hologram layer does not cover ~~the an~~ entire surface of the base ~~sheet, sheet and the volume hologram layer is exposed to an outside of the counterfeiting prevention label; and~~ sheet and the volume hologram layer is exposed to an outside of the counterfeiting prevention label; and

printing is made from a surface of the volume hologram layer to the front surface of the base sheet.

2. (Previously Presented) The counterfeiting prevention label according to claim 1, wherein the base sheet has a quadrilateral shape, and

the volume hologram layer extends between a first side of the base sheet and a second side of the base sheet opposite the first side.

3. (Original) The counterfeiting prevention label according to claim 1, wherein the volume hologram layer is bonded to the front surface of the base sheet with a heat-sensitive adhesive layer or a pressure-sensitive adhesive layer.

4. (Original) The counterfeiting prevention label according to claim 1, wherein the surface of the volume hologram layer not facing the base sheet is coated with a protective layer.

5. (Currently Amended) The counterfeiting prevention label according to claim 1, wherein the part, coated with the volume hologram layer, of the front surface of the base sheet is depressed relative to a part, not coated with the volume hologram, of the front surface of the base sheet to form a depression.

6. (Canceled)

7. (Currently Amended) The counterfeiting prevention label according to claim 1, wherein the release sheet is larger than the base sheet,

the base sheet, the volume hologram layer and the self-adhesive layer form a laminated structure,

a plurality of laminated structures are arranged on the release sheet, and the plurality of laminated structures have substantially ~~the~~ a same desired shape in a plane and are spaced apart from each other.

8. (Original) The counterfeiting prevention label according to claim 1, wherein characters are printed on the volume hologram layer and/or a part, not coated with the volume hologram layer, of the front surface of the base sheet.

9. (Withdrawn - Currently Amended) A counterfeiting prevention label manufacturing method comprises the steps of:

forming a transfer ribbon by releasably laminating a volume hologram layer to a support sheet;

transferring the volume hologram layer to a front surface of a base sheet by a transfer process by superposing the transfer ribbon on the base sheet with the volume hologram layer facing the base sheet;~~and~~

blanking out the base sheet and the volume hologram layer in a predetermined ~~shape; and~~shape;

~~wherein forming a self-adhesive layer is formed~~ on a back surface of the base sheet, and the adhesive layer is covered with a release sheet, and the release sheet is larger than the base sheet, ~~and, wherein:~~

~~wherein the volume hologram layer is transferred to the front surface of the~~ base sheet such that the volume hologram layer does not cover the entire surface of the base sheet and the volume hologram layer is exposed to an outside of the counterfeiting prevention label; and

printing is made from a surface of the volume hologram layer to the front surface of the base sheet.

10. (Withdrawn) The counterfeiting prevention label manufacturing method according to claim 9,

wherein a depression is formed in the surface of the base sheet before transferring the volume hologram layer to the surface of the base sheet, and

the volume hologram layer is transferred to the bottom surface of the depression.

11. (Withdrawn - Currently Amended) The counterfeiting prevention label manufacturing method according to claim 9,

wherein characters are printed on the volume hologram layer and/or a part, not coated with the volume hologram layer, of the front surface of the base sheet before blanking out the base sheet and the volume hologram layer in a desired shape.